# **Specification of Thermoelectric Module**

# TEC1-28722L1

### Description

The 287 couples, 62mm x 62mm size module is a single stage module which is made of our high performance ingot to achieve superior cooling performance and 70  $^{\circ}$ C or larger delta Tmax, is designed for superior cooling and heating applications. Beyond the standard below, we can design and manufacture the custom made module according to your special requirements.

#### Features

- No moving parts, no noise, and solid-state
- Compact structure, small in size, light in weight
- Environmental friendly
- RoHS compliant
- Precise temperature control
- Exceptionally reliable in quality, high performance


#### **Performance Specification Sheet**

#### **Application**

- Food and beverage service refrigerator
- Portable cooler box for cars
- Liquid cooling
- Temperature stabilizer
- CPU cooler and scientific instrument
- Photonic and medical systems

Th (°C)	27	50	Hot side temperature at environment: dry air, N <sub>2</sub>
DT <sub>max</sub> (°C)	70	79	Temperature Difference between cold and hot side of the module when cooling capacity is zero at cold side
U <sub>max</sub> (Voltage)	36.5	39.0	Voltage applied to the module at DT <sub>max</sub>
I <sub>max</sub> (Amps)	23	23	DC current through the modules at DT <sub>max</sub>
Q <sub>Cmax</sub> (Watts)	517.8	562.6	Cooling capacity at cold side of the module under DT=0 °C
AC resistance (Ohms)	1.19	1.31	The module resistance is tested under AC
Tolerance (%)	± 10		For thermal and electricity parameters

#### Geometric Characteristics Dimensions in millimeters



See ordering option

### **Manufacturing Options**


A. Solder:	B. Sealant:
1. T100: BiSn (Tmelt=138°C)	1. NS: No sealing (Standard)
2. T200: CuAgSn (Tmelt = 217°C)	2. SS: Silicone sealant
3. T240: SbSn (Tmelt = 240°C)	3. EPS: Epoxy sealant
C. Ceramics:	D. Ceramics Surface Options:
1. Alumina (Al <sub>2</sub> O <sub>3</sub> , white 96%)	1. Blank ceramics (not metalized)
2. Aluminum Nitride (AlN)	2. Metalized


### **Ordering Option**

Suffix	Thickness H (mm)	Flatness/ Parallelism (mm)	Lead wire length(mm) Standard/Optional length
TF	0:3.55± 0.1	0: 0.12/0.12	150±3/Specify
TF	$1:3.55 \pm 0.05$	0: 0.06/0.06	150±3/Specify

# **Specification of Thermoelectric Module**

# TEC1-28722L1






Creative technology with fine manufacturing processes provides you the reliable and quality products Tel: +86-791-88198288 Fax: +86-791-88198308 Email: <u>sales@thermonamic.com.cn</u> Web Site: www.thermonamic.com.cn

Voltage / V

# **Specification of Thermoelectric Module**

# TEC1-28722L1



Standard Performance Graph COP = f(V) of DT ranged from 40 to 60/70 °C

**Remark:** The coefficient of performance (COP) is the cooling power Qc/Input power ( $V \times I$ ).

# **Operation Caution**

• Attach the cold side of module to the object to be cooled

Voltage / V

- Attach the hot side of module to a heat radiator for heat dissipating
- Operation below I<sub>max</sub> or V<sub>max</sub>
- Work under DC

Note: All specifications subject to change without notice.